

Appendix : Supplementary Table, Descriptive tables 4-A.1.1:

Statistics				
Yes				
N	Valid	266		
	Missing	0		
		Frequency	Percent	Valid Percent
Valid		3	1.1	1.1
	yes	179	67.3	67.3
	no	84	31.6	31.6
	Total	266	100.0	100.0

Frequencies		
Notes		
Output Created		27-APR-2020 13:21:17
Comments		
Input	Data	/Users/drharirah/my research/islamic research/wound infection /result for wound /diabetic wound only 26 4 2020 27.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	266
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
Syntax		FREQUENCIES VARIABLES=multi-resistance type of pathogen /ORDER=ANALYSIS.
Resources	Processor Time	00:00:00.00

	Elapsed Time	00:00:00.00		
Statistics				
		Yes		
N	Valid	266		
	Missing	0		
Frequency Table				
		Frequency	Percent	Cumulative Percent
Valid		3	1.1	1.1
	yes	179	67.3	68.4
	no	84	31.6	100.0
	Total	266	100.0	
		Frequency	Percent	Cumulative Percent
Valid		3	1.1	1.1
	<i>S. aureus</i> MRSA	51	19.2	20.3
	<i>E. coli</i>	40	15.0	35.3
	<i>E. coli</i> ESBL	7	2.6	38.0
	<i>K. pneumoniae</i>	17	6.4	44.4

<i>K. pneumoniae</i> ESBL	3	1.1	45.5
<i>P. aeruginosa</i>	24	9.0	54.5
<i>P. mirabilis</i>	11	4.1	58.6
<i>M. morgani</i>	2	.8	59.4
<i>S. agalactia</i> (group B)	3	1.1	60.5
<i>K. oxytoca</i>	6	2.3	62.8
<i>K. oxytoca</i> ESBL	1	.4	63.2
<i>P. vulgaris</i>	2	.8	63.9
<i>Candida spp.</i>	4	1.5	65.4
<i>Enterobacter</i>	6	2.3	67.7
<i>E. cloacae</i>	1	.4	68.0
<i>Proteus spp.</i>	1	.4	68.4
CoNS	1	.4	68.8
Nonhemolytic	13	4.9	73.7

streptococci			
Alpha hemolytic streptococci	4	1.5	75.2
<i>K. pneumoniae</i> carbapenemase XDR	2	.8	75.9
<i>S. pyogenes</i>	1	.4	76.3
<i>Serratia marcescens</i>	1	.4	76.7
VRE	2	.8	77.4
<i>Enterobacter</i> MDR	14	5.3	82.7
4	1	.4	83.1
<i>P. mirabilis</i> ESBL	1	.4	83.5
<i>Pseudomonas</i>	3	1.1	84.6
<i>S. aureus</i>	22	8.3	92.9
<i>Acinetobacter</i>)	19	7.1	100.0
Total	266	100.0	